ELSEVIER

European Journal of Pharmacology 308 (1996) 359–362

ejp

Author index

Adachi, K., see Koshikawa, N. (308) 227
Adachi, Y., Hashimoto, K., Hisa, H., Yoshida, M., Suzuki-Kusaba, M. and Satoh, S.
Angiotensin II-induced renal responses in anesthetized rabbits: effects of N^{ω}-nitro-L-arginine methyl ester and losartan (308) 165
Advenier, C., see Biyah, K. (308) 325
Alekseev, A.E., see Brady, P.A. (308) 343
Anouar, A., Clerget, M.-S., Durroux, T., Barberis, C. and Germain, G.
Comparison of vasopressin and oxytocin receptors in the rat uterus and vascular tissue (308) 87
Araki, H., see Noguchi, K. (308) 53
Araújo, C., see Lopes-Martins, R. (308) 287
Arisawa, H., see Iga, Y. (308) 13
Aroviita, L., see Riekkinen, M. (308) 243
Aulakh, C.S., see Mazzola-Pomietto, P. (308) 329

Bach, N.J., see Fox, N. (308) 195
Baldık, Y., see Ulugöl, A. (308) 49
Banke, T., see Wahl, P. (308) 211
Banner, S.E., Smith, M.I., Bywater, D., Gaster, L.M. and Sanger, G.J.
Increased defaecation caused by 5-HT_4 receptor activation in the mouse (308) 181
Barberis, C., see Anouar, A. (308) 87
Bartolini, A., see Galeotti, N. (308) 125
Berdeu, D., Puech, R., Loubatières-Mariani, M.-M. and Bertrand, G.
Agmatine is not a good candidate as endogenous ligand for imidazoline sites of pancreatic B cells and vascular bed (308) 301
Berendsen, H.H.G., Kester, R.C.H., Peeters, B.W.M.M. and Broekkamp, C.L.E.
Modulation of 5-HT receptor subtype-mediated behaviours by corticosterone (308) 103
Berthelot, P., see Kerr, D.I.B. (308) R1
Bertrand, G., see Berdeu, D. (308) 301
Bieroń, K., see Gryglewski, R.J. (308) 61
Biyah, K., Molimard, M., Emonds-Alt, X. and Advenier, C.
SR 140333 prevents potentiation by citric acid of plasma exudation induced by histamine in airways (308) 325
Bobbitt, J.L., see Fox, N. (308) 195
Booze, R.M., see Wallace, D.R. (308) 283
Brady, P.A., Zhang, S., López, J.R., Jovanovic, A., Alekseev, A.E. and Terzic, A.
Dual effect of glyburide, an antagonist of K_{ATP} channels, on metabolic inhibition-induced Ca^{2+} loading in cardiomyocytes (308) 343
Briejer, M.R. and Schuurkes, J.A.J.
5-HT_3 and 5-HT_4 receptors and cholinergic and tachykininergic neurotransmission in the guinea-pig proximal colon (308) 173
Broekkamp, C.L.E., see Berendsen, H.H.G. (308) 103
Brotchie, J.M., see Maneuf, Y.P. (308) 161
Bywater, D., see Banner, S.E. (308) 181

Cabib, S., see Mele, A. (308) 1
Caccia, S., see Mele, A. (308) 1
Carlson, D.G., see Fox, N. (308) 195
Carter, C., see Klarica, M. (308) 135
Castañeda-Hernández, G., see López-Muñoz, F.J. (308) 275
Castellano, C., see Mele, A. (308) 1
Catelli, M., see Lopes-Martins, R. (308) 287
Chayvialle, J.-A., see Miampamba, M. (308) 251
Chéry-Croze, S., see Miampamba, M. (308) 251
Clerget, M.-S., see Anouar, A. (308) 87
Cools, A.R., see Koshikawa, N. (308) 227
Cools, A.R., see Koshikawa, N. (308) 235
Cordeiro, R., see Lopes-Martins, R. (308) 287
Crossman, A.R., see Maneuf, Y.P. (308) 161

Danhof, M., see Van Schaick, E.A. (308) 311
Debaert, M., see Kerr, D.I.B. (308) R1
Delarue, C., see Esneu, M. (308) 187
Détolle-Sarbach, S., see Miampamba, M. (308) 251
Dillard, R.D., see Fox, N. (308) 195
Dökmeci, D., see Ulugöl, A. (308) 49
Dökmeci, İ., see Ulugöl, A. (308) 49
Dossin, O., Hanoun, N. and Zajac, J.-M.
Involvement of locus coeruleus projections in opiate withdrawal but not in opiate tolerance in mice (308) 271
Draheim, S.E., see Fox, N. (308) 195
Drijfhout, W.J., Grol, C.J. and Westerink, B.H.C.
Parasympathetic inhibition of pineal indole metabolism by prejunctional modulation of noradrenaline release (308) 117
Duckles, S.P., see McNeill, A.M. (308) 305
Durroux, T., see Anouar, A. (308) 87

Emonds-Alt, X., see Biyah, K. (308) 325
Esneu, M., Delarue, C., Fournier, A. and Vaudry, H.
Characterization of the receptor mediating the effect of calcitonin gene-related peptide in the frog adrenal gland (308) 187
Estato, V., see Lopes-Martins, R. (308) 287

Fage, D., see Klarica, M. (308) 135
Felici, A., see Mele, A. (308) 1
Feller, D.R., see Lezama, E.J. (308) 69
Fisher, L., see Fox, N. (308) 195
Flores-Murrieta, F.J., see López-Muñoz, F.J. (308) 275
Flouquet, N., see Kerr, D.I.B. (308) R1
Fournier, A., see Esneu, M. (308) 187
Fox, N., Song, M., Schrementi, J., Sharp, J.D., White, D.L., Snyder, D.W., Hartley, L.W., Carlson, D.G., Bach, N.J., Dillard, R.D., Draheim, S.E., Bobbitt, J.L., Fisher, L. and Mihelich, E.D.
Transgenic model for the discovery of novel human secretory non-pancreatic phospholipase A_2 inhibitors (308) 195
Frei, K., see Lorenzl, S. (308) 335

Gainetdinov, R.R., Sotnikova, T.D., Grekhova, T.V. and Rayevsky, K.S.
In vivo evidence for preferential role of dopamine D_3 receptor in the presynaptic regulation of dopamine release but not synthesis (308) 261
Galeotti, N., Ghelardini, C. and Bartolini, A.
Effect of pertussis toxin on morphine, diphenhydramine, baclofen, clomipramine and physostigmine antinociception (308) 125

Gassen, M., Glinka, Y., Pinchasi, B. and Youdim, M.B.H.
Apomorphine is a highly potent free radical scavenger in rat brain mitochondrial fraction (308) 219
Gaster, L.M., see Banner, S.E. (308) 181
Geiger, J.D., see Parkinson, F.E. (308) 97
Germain, G., see Anouar, A. (308) 87
Ghelardini, C., see Galeotti, N. (308) 125
Glinka, Y., see Gassen, M. (308) 219
Granados-Soto, V., see López-Muñoz, F.J. (308) 275
Grekhova, T.V., see Gainetdinov, R.R. (308) 261
Grol, C.J., see Drijfhout, W.J. (308) 117
Gryglewski, R.J., Korbut, R., Święs, J., Kostka-Trąbka, E., Bieroń, K. and Robak, J.
Thrombolytic action of ticlopidine: possible mechanisms (308) 61
Guez, D., see Miampamba, M. (308) 251

Hanoun, N., see Dossin, O. (308) 271
Hansen, H.C., see Jackson, H.C. (308) 21
Hartley, L.W., see Fox, N. (308) 195
Hashimoto, K., see Adachi, Y. (308) 165
Henry, J.L., see Yashpal, K. (308) 41
Higuchi, S., see Noguchi, K. (308) 53
Hisa, H., see Adachi, Y. (308) 165
Hui-Chan, C.W.Y., see Yashpal, K. (308) 41

Iga, Y., Arisawa, H., Ise, M., Yasuda, H. and Takeshita, Y.
Modulation of rhythmical slow activity, long-term potentiation and memory by muscarinic receptor agonists (308) 13
IJzerman, A.P., see Van Schaick, E.A. (308) 311
Imamura, T., see Takada, Y. (308) 205
Inami, T., see Takada, Y. (308) 205
Ise, M., see Iga, Y. (308) 13
Ishihara, H., see Takada, Y. (308) 205
Ishiki, M., see Takada, Y. (308) 205
Itoh, Z., see Tamura, T. (308) 315
Iwanishi, M., see Takada, Y. (308) 205

Jackson, H.C., Hansen, H.C., Kristiansen, M., Suzdak, P.D., Klitgaard, H., Judge, M.E. and Swedberg, M.D.B.
Anticonvulsant profile of the imidazoquinazolines NNC 14-0185 and NNC 14-0189 in rats and mice (308) 21
Jacobson, K.A., see Van Schaick, E.A. (308) 311
Jovanovic, A., see Brady, P.A. (308) 343
Judge, M.E., see Jackson, H.C. (308) 21

Kanfer, J.N., see Sorrentino, G. (308) 81
Karadağ, H.Ç., see Ulugöl, A. (308) 49
Kelso, E., Spiers, P., McDermott, B., Scholfield, N. and Silke, B.
Dual effects of endothelin-1 on the L-type Ca^{2+} current in ventricular cardiomyocytes (308) 351
Kerr, D.I.B., Ong, J., Vaccher, C., Berthelot, P., Flouquet, N., Vaccher, M.-P. and Debaert, M.
$GABA_B$ receptor antagonism by resolved (*R*)-saclofen in the guinea-pig ileum (308) R1
Kester, R.C.H., see Berendsen, H.H.G. (308) 103
Kim, H.O., see Van Schaick, E.A. (308) 311
Kitamura, M., see Koshikawa, N. (308) 235
Kivipelto, M., see Riekkinen, M. (308) 243
Klarica, M., Fage, D. and Carter, C.
Pharmacology of *N*-methyl-D-aspartate-evoked [^{3}H]noradrenaline release in adult rat spinal cord (308) 135
Klitgaard, H., see Jackson, H.C. (308) 21
Kobayashi, M., see Koshikawa, N. (308) 227
Kobayashi, M., see Koshikawa, N. (308) 235
Kobayashi, M., see Takada, Y. (308) 205
Ködel, U., see Lorenzl, S. (308) 335
Kokubu, N., see Satoh, M. (308) 145
Konkar, A.A., see Lezama, E.J. (308) 69
Korbut, R., see Gryglewski, R.J. (308) 61
Koshikawa, N., Kitamura, M., Kobayashi, M. and Cools, A.R.
Behavioural effects of 7-OH-DPAT are solely due to stimulation of dopamine D_2 receptors in the shell of the nucleus accumbens; turning behaviour (308) 235
Koshikawa, N., Miwa, Y., Adachi, K., Kobayashi, M. and Cools, A.R.
Behavioural effects of 7-OH-DPAT are solely due to stimulation of dopamine D_2 receptors in the shell of the nucleus accumbens; jaw movements (308) 227
Kostka-Trąbka, E., see Gryglewski, R.J. (308) 61
Kow, L.-M., see Zhang, C. (308) 153
Krause, D.N., see McNeill, A.M. (308) 305
Kristiansen, M., see Jackson, H.C. (308) 21
Krogsgaard-Larsen, P., see Wahl, P. (308) 211

Leid, M., see Musser, B. (308) 357
Lezama, E.J., Konkar, A.A., Salazar-Bookaman, M.M., Miller, D.D. and Feller, D.R.
Pharmacological study of atypical β-adrenoceptors in rat esophageal smooth muscle (308) 69
Linden, J., see Musser, B. (308) 357
Lopes-Martins, R., Catelli, M., Araújo, C., Estato, V., Cordeiro, R. and Tibiriçá, E.
Pharmacological evidence of a role for platelet activating factor as a modulator of vasomotor tone and blood pressure (308) 287
López, J.R., see Brady, P.A. (308) 343
López-Muñoz, F.J., Castañeda-Hernández, G., Flores-Murrieta, F.J. and Granados-Soto, V.
Effect of caffeine coadministration and of nitric oxide synthesis inhibition on the antinociceptive action of ketorolac (308) 275
Lorenzl, S., Ködel, U., Frei, K. and Pfister, H.-W.
Effect of the bradykinin B_2 receptor antagonist Hoe140 in experimental pneumococcal meningitis in the rat (308) 335
Loubatières-Mariani, M.-M., see Berdeu, D. (308) 301
Lynch, A.M., see See, R.E. (308) 279

Madsen, U., see Wahl, P. (308) 211
Maneuf, Y.P., Nash, J.E., Crossman, A.R. and Brotchie, J.M.
Activation of the cannabinoid receptor by Δ^9-tetrahydrocannabinol reduces γ-aminobutyric acid uptake in the globus pallidus (308) 161
Massarelli, R., see Sorrentino, G. (308) 81
Masumiya, H., see Noguchi, K. (308) 53
Matsuo, K., see Satoh, M. (308) 145
Mazzola-Pomietto, P., Aulakh, C.S. and Murphy, D.L.
NMDA receptor antagonists block development of tolerance to m-CPP-induced increases in ACTH concentrations in rats (308) 329
McDermott, B., see Kelso, E. (308) 351
McNeill, A.M., Duckles, S.P. and Krause, D.N.
Relaxant effects of 17ß-estradiol in the rat tail artery are greater in females than males (308) 305
Mele, A., Castellano, C., Felici, A., Cabib, S., Caccia, S. and Oliverio, A.
Dopamine–*N*-methyl-D-aspartate interactions in the modulation of locomotor activity and memory consolidation in mice (308) 1
Miampamba, M., Chéry-Croze, S., Détolle-Sarbach, S., Guez, D. and Chayvialle, J.-A.
Antinociceptive effects of oral clonidine and S12813-4 in acute colon inflammation in rats (308) 251
Mihelich, E.D., see Fox, N. (308) 195
Miller, D.D., see Lezama, E.J. (308) 69
Miwa, Y., see Koshikawa, N. (308) 227
Mizumoto, A., see Tamura, T. (308) 315
Molimard, M., see Biyah, K. (308) 325
Morgan, M.E., see Musser, B. (308) 357
Morioka, H., see Takada, Y. (308) 205
Mukherjee, K., see Parkinson, F.E. (308) 97
Murphy, D.L., see Mazzola-Pomietto, P. (308) 329

Murray, T.F., see Musser, B. (308) 357
Musser, B., Morgan, M.E., Leid, M., Murray, T.F., Linden, J. and Vestal, R.E.
Corrigendum to 'Species comparison of adenosine and β-adrenoceptors in mammalian atrial and ventricular myocardium'. [Eur. J. Pharmacol. Mol. Pharmacol. Sect. 246 (1993) 105–111] (308) 357

Nash, J.E., see Maneuf, Y.P. (308) 161
Noguchi, K., Masumiya, H., Sasaki, T., Takahashi, K., Araki, H., Higuchi, S., Tanaka, H. and Shigenobu, K.
Relative selectivity for negative chronotropic and inotropic effects of a novel dihydropyridine derivative, CD-832 (308) 53

Oliverio, A., see Mele, A. (308) 1
Ong, J., see Kerr, D.I.B. (308) R1

Parkinson, F.E., Mukherjee, K. and Geiger, J.D.
[^{3}H]Adenosine transport in DDT$_1$ MF-2 smooth muscle cells: inhibition by metabolites of propentofylline (308) 97
Peeters, B.W.M.M., see Berendsen, H.H.G. (308) 103
Pfaff, D.W., see Zhang, C. (308) 153
Pfister, H.-W., see Lorenzl, S. (308) 335
Pinchasi, B., see Gassen, M. (308) 219
Pini, L.A., Sandrini, M. and Vitale, G.
The antinociceptive action of paracetamol is associated with changes in the serotonergic system in the rat brain (308) 31
Popik, P., Vetulani, J. and Van Ree, J.M.
Facilitation and attenuation of social recognition in rats by different oxytocin-related peptides (308) 113
Puech, R., see Berdeu, D. (308) 301

Rayevsky, K.S., see Gainetdinov, R.R. (308) 261
Riekkinen, M., Aroviita, L., Kivipelto, M., Taskila, K. and Riekkinen Jr., P.
Depletion of serotonin, dopamine and noradrenaline in aged rats decreases the therapeutic effect of nicotine, but not of tetrahydroaminoacridine (308) 243
Riekkinen Jr., P., see Riekkinen, M. (308) 243
Robak, J., see Gryglewski, R.J. (308) 61
Ruskoaho, H., see Taskinen, P. (308) 295

Salazar-Bookaman, M.M., see Lezama, E.J. (308) 69
Sandrini, M., see Pini, L.A. (308) 31
Sanger, G.J., see Banner, S.E. (308) 181
Sano, I., see Tamura, T. (308) 315
Sasaki, T., see Noguchi, K. (308) 53
Satoh, M., Matsuo, K., Kokubu, N. and Takayanagi, I.
Inhibitory effect of phorbol 12,13-dibutyrate on norepinephrine-induced contraction in rabbit iris dilator muscle (308) 145
Satoh, M., see Tamura, T. (308) 315
Satoh, S., see Adachi, Y. (308) 165
Satoh, Y., see Takada, Y. (308) 205
Sawa, T., see Takada, Y. (308) 205
Scholfield, N., see Kelso, E. (308) 351
Schousboe, A., see Wahl, P. (308) 211
Schrementi, J., see Fox, N. (308) 195
Schuurkes, J.A.J., see Briejer, M.R. (308) 173
See, R.E. and Lynch, A.M.
Duration-dependent increase in striatal glutamate following prolonged fluphenazine administration in rats (308) 279
Sharp, J.D., see Fox, N. (308) 195
Shigenobu, K., see Noguchi, K. (308) 53
Silke, B., see Kelso, E. (308) 351
Singh, I.N., see Sorrentino, G. (308) 81
Smith, M.I., see Banner, S.E. (308) 181
Snyder, D.W., see Fox, N. (308) 195
Song, M., see Fox, N. (308) 195
Sorrentino, G., Singh, I.N., Massarelli, R. and Kanfer, J.N.
Stimulation of phospholipase C activity by norepinephrine, *t*-ACPD and bombesin in LA-N-2 cells (308) 81
Sotnikova, T.D., see Gainetdinov, R.R. (308) 261
Spiers, P., see Kelso, E. (308) 351
Suzdak, P.D., see Jackson, H.C. (308) 21
Suzuki-Kusaba, M., see Adachi, Y. (308) 165
Swedberg, M.D.B., see Jackson, H.C. (308) 21
Święs, J., see Gryglewski, R.J. (308) 61

Takada, Y., Takata, Y., Iwanishi, M., Imamura, T., Sawa, T., Morioka, H., Ishihara, H., Ishiki, M., Usui, I., Temaru, R., Urakaze, M., Satoh, Y., Inami, T., Tsuda, S. and Kobayashi, M.
Effect of glimepiride (HOE 490) on insulin receptors of skeletal muscles from genetically diabetic KK-Ay mouse (308) 205
Takahashi, K., see Noguchi, K. (308) 53
Takata, Y., see Takada, Y. (308) 205
Takayanagi, I., see Satoh, M. (308) 145
Takeshita, Y., see Iga, Y. (308) 13
Tamura, T., Sano, I., Satoh, M., Mizumoto, A. and Itoh, Z.
Pharmacological characterization of 5-hydroxytryptamine-induced motor activity (in vitro) in the guinea pig gastric antrum and corpus (308) 315
Tanaka, H., see Noguchi, K. (308) 53
Taskila, K., see Riekkinen, M. (308) 243
Taskinen, P. and Ruskoaho, H.
Stretch-induced increase in atrial natriuretic peptide secretion is blocked by thapsigargin (308) 295
Temaru, R., see Takada, Y. (308) 205
Terzic, A., see Brady, P.A. (308) 343
Tibiriçá, E., see Lopes-Martins, R. (308) 287
Tsuda, S., see Takada, Y. (308) 205

Ulugöl, A., Karadağ, H.Ç., Dökmeci, D., Baldık, Y. and Dökmeci, İ.
The role of histamine H$_1$ receptors in the thermoregulatory effect of morphine in mice (308) 49
Urakaze, M., see Takada, Y. (308) 205
Usui, I., see Takada, Y. (308) 205

Vaccher, C., see Kerr, D.I.B. (308) R1
Vaccher, M.-P., see Kerr, D.I.B. (308) R1
Van Ree, J.M., see Popik, P. (308) 113
Van Schaick, E.A., Jacobson, K.A., Kim, H.O., IJzerman, A.P. and Danhof, M.
Hemodynamic effects and histamine release elicited by the selective adenosine A$_3$ receptor agonist 2-Cl-IB-MECA in conscious rats (308) 311
Vaudry, H., see Esneu, M. (308) 187
Vestal, R.E., see Musser, B. (308) 357
Vetulani, J., see Popik, P. (308) 113
Vitale, G., see Pini, L.A. (308) 31

Wahl, P., Madsen, U., Banke, T., Krogsgaard-Larsen, P. and Schousboe, A.
Different characteristics of AMPA receptor agonists acting at AMPA receptors expressed in *Xenopus* oocytes (308) 211
Wallace, D.R. and Booze, R.M.
Dopamine D$_3$ receptor density elevation in aged Fischer-344 × Brown-Norway (F1) rats (308) 283
Westerink, B.H.C., see Drijfhout, W.J. (308) 117
White, D.L., see Fox, N. (308) 195

Yashpal, K., Hui-Chan, C.W.Y. and Henry, J.L.
SR 48968 specifically depresses neurokinin A- vs. substance P-induced hyperalgesia in a nociceptive withdrawal reflex (308) 41
Yasuda, H., see Iga, Y. (308) 13
Yoshida, M., see Adachi, Y. (308) 165

Youdim, M.B.H., see Gassen, M. (308) 219

Zajac, J.-M., see Dossin, O. (308) 271
Zhang, C., Pfaff, D.W. and Kow, L.-M.
Functional analysis of opioid receptor subtypes in the ventromedial hypothalamic nucleus of the rat (308) 153
Zhang, S., see Brady, P.A. (308) 343